





PERFORMANCE DATA 50Hz

MODEL		P ₂		DELIVERY n≈2850 1/min									
1~ 220 - 240V	3~ 380 - 415V	kW	HP	Q	m³/h	0	3	6	9	12	15	18	24
					l/min	0	50	100	150	200	250	300	400
6SPM17-4	6SP17-4	2.2	3	H(m)		44	44	43	42	39	35	30	23
6SPM17-5	6SP17-5	3	4			55	55	54	52	49	44	37	29
6SPM17-7	6SP17-7	4	5.5			77	77	75	73	68	61	52	40
6SPM17-9	6SP17-9	5.5	7.5			99	99	97	94	88	79	67	52
-	6SP17-12	7.5	10			132	132	129	125	117	105	90	69
-	6SP17-14	9.2	12.5			154	153	151	146	136	122	105	81
-	6SP17-16	9.2	12.5			176	175	172	167	156	140	120	92
-	6SP17-18	11	15			198	197	194	188	175	157	134	104
-	6SP17-20	11	15			220	219	215	209	195	175	149	115
-	6SP17-22	13	17.5			242	241	237	229	214	192	164	127
-	6SP17-24	13	17.5			264	263	258	250	233	209	179	138
-	6SP17-26	15	20			286	285	280	271	253	227	194	150
-	6SP17-28	18.5	25			308	307	301	292	272	244	209	161
-	6SP17-32	18.5	25			352	351	344	334	311	279	239	184
-	6SP17-34	22	30			374	373	366	355	331	297	254	196
-	6SP17-38	22	30			418	417	409	396	370	332	284	219
-	6SP17-42	26	35			462	460	452	438	408	366	314	242
-	6SP17-45	26	35			495	493	484	469	438	393	336	259
-	6SP17-48	30	40			528	526	517	501	467	419	359	277
-	6SP17-51	30	40			561	559	549	532	496	445	381	294




6"




PERFORMANCE DATA 50Hz

MODEL		P ₂		DELIVERY n≈2850 1/min									
1~ 220 - 240V	3~ 380 - 415V	kW	HP	Q	m³/h	0	6	12	18	24	30	36	42
					l/min	0	100	200	300	400	500	600	700
6SPM30-2	6SP30-2	2.2	3	H(m)		23	22	21	20	18	16	12	8
6SPM30-3	6SP30-3	3	4			34	33	32	30	28	24	19	12
6SPM30-4	6SP30-4	4	5.5			46	44	42	40	37	32	25	16
6SPM30-6	6SP30-6	5.5	7.5			69	66	63	60	55	47	37	24
-	6SP30-7	7.5	10			80	77	74	70	64	55	43	28
-	6SP30-8	7.5	10			92	89	85	80	74	63	50	33
-	6SP30-9	9.2	12.5			103	100	95	89	83	71	56	37
-	6SP30-10	9.2	12.5			114	111	106	99	92	79	62	41
-	6SP30-12	11	15			137	133	127	119	110	95	74	49
-	6SP30-14	13	17.5			160	155	148	139	129	110	87	57
-	6SP30-16	15	20			183	177	169	159	147	126	99	65
-	6SP30-18	18.5	25			206	199	190	179	165	142	111	73
-	6SP30-20	18.5	25			229	221	211	199	184	158	124	81
-	6SP30-22	22	30			252	243	232	219	202	173	136	89
-	6SP30-24	22	30			275	266	254	239	221	189	149	98
-	6SP30-27	26	35			309	299	285	268	248	213	167	110
-	6SP30-29	26	35			332	321	306	288	266	228	179	118
-	6SP30-32	30	40			366	354	338	318	294	252	198	130
-	6SP30-34	30	40			389	376	359	338	312	268	210	138



PERFORMANCE DATA 50Hz

MODEL		P ₂		DELIVERY n≈2850 1/min												
1 ~ 220 - 240V	3 ~ 380 - 415V	kW	HP	Q m³/h l/min	0	6	12	18	24	30	36	42	48	54	60	66
6SPM46-2	6SP46-2	3	4	H(m)	27	26	26	25	23	22	20	18	16	14	11	7
6SPM46-3	6SP46-3	5.5	7.5		40	39	38	37	35	32	30	27	24	21	16	11
-	6SP46-4	7.5	10		54	52	51	49	46	43	40	36	32	28	22	14
-	6SP46-5	7.5	10		67	66	64	62	58	54	50	46	41	35	27	18
-	6SP46-6	9.2	12.5		80	79	77	74	70	65	60	55	49	41	32	22
-	6SP46-7	11	15		94	92	90	86	81	76	70	64	57	48	38	25
-	6SP46-8	13	17.5		107	105	102	98	93	86	80	73	65	55	43	29
-	6SP46-9	15	20		121	118	115	111	104	97	90	82	73	62	49	32
-	6SP46-10	15	20		134	131	128	123	116	108	100	91	81	69	54	36
-	6SP46-11	18.5	25		147	144	141	135	128	119	110	100	89	76	59	40
-	6SP46-12	18.5	25		161	157	154	148	139	130	120	109	97	83	65	43
-	6SP46-13	22	30		174	170	166	160	151	140	130	118	105	90	70	47
-	6SP46-14	22	30		188	183	179	172	162	151	140	127	113	97	76	50
-	6SP46-16	26	35		214	210	205	197	186	173	160	146	130	110	86	58
-	6SP46-18	30	40		241	236	230	221	209	194	180	164	146	124	97	65
-	6SP46-20	30	40		268	262	256	246	232	216	200	182	162	138	108	72




PERFORMANCE DATA 50Hz

MODEL		P ₂		DELIVERY n≈2850 1/min														
1 ~ 220 - 240V	3 ~ 380 - 415V	kW	HP	Q m³/h l/min	0	6	12	18	24	30	36	42	48	54	60	66	72	78
6SPM60-3	6SP60-3	5.5	7.5	H(m)	42	42	42	41	39	36	33	31	29	26	23	20	16	11
-	6SP60-4	7.5	10		56	56	56	55	52	48	44	41	38	35	31	26	21	15
-	6SP60-5	9.2	12.5		70	70	69	68	65	60	55	52	48	44	39	33	26	18
-	6SP60-6	11	15		84	84	83	82	78	72	66	62	58	53	47	40	31	22
-	6SP60-7	13	17.5		98	98	97	95	91	84	77	72	67	62	55	46	36	25
-	6SP60-8	15	20		112	112	111	109	104	96	89	83	77	71	63	53	42	29
-	6SP60-9	18.5	25		126	125	125	123	116	108	100	93	87	79	70	60	47	33
-	6SP60-10	18.5	25		140	139	139	136	129	120	111	103	96	88	78	66	52	36
-	6SP60-11	22	30		154	153	153	150	142	132	122	113	106	97	86	73	57	40
-	6SP60-12	22	30		168	167	167	164	155	144	133	124	116	106	94	80	62	44
-	6SP60-13	26	35		182	181	180	177	168	156	144	134	125	115	102	86	67	47
-	6SP60-14	26	35		196	195	194	191	181	168	155	144	135	123	109	93	73	51
-	6SP60-15	30	40		210	209	208	204	194	180	166	155	144	132	117	99	78	54
-	6SP60-16	30	40		224	223	222	218	207	192	177	165	154	141	125	106	83	58



8"





PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY											
			n≈2850 1/min											
	kW	HP	Q	0	12	24	36	48	60	72	84	96		
3~380 - 415V			m³/h l/min	0	200	400	600	800	1000	1200	1400	1600		
8SP77-2	7.5	10	H(m)	40	40	39	36	33	30	27	22	17		
8SP77-3	11	15		60	60	58	54	49	44	40	33	25		
8SP77-4	15	20		80	80	78	72	65	59	53	44	34		
8SP77-5	18.5	25		101	100	97	90	82	74	66	55	42		
8SP77-6	22	30		121	120	117	108	98	89	80	67	50		
8SP77-7	26	35		141	140	136	126	114	104	93	78	59		
8SP77-8	30	40		161	160	156	144	130	118	106	89	67		
8SP77-9	30	40		181	180	175	162	147	133	119	100	76		
8SP77-10	37	50		201	201	195	180	163	148	133	111	84		
8SP77-11	37	50		221	221	214	198	179	163	146	122	92		
8SP77-12	45	60		241	241	233	216	196	178	159	133	101		
8SP77-13	55	75		261	261	253	234	212	192	172	144	109		
8SP77-14	55	75		281	281	272	252	228	207	186	155	118		
8SP77-15	55	75		302	301	292	270	245	222	199	167	126		
8SP77-16	63	85		322	321	311	288	261	237	212	178	134		
8SP77-17	63	85		342	341	331	306	277	252	225	189	143		
8SP77-18	63	85		362	361	350	324	293	266	239	200	151		
8SP77-19	75	100		382	381	370	342	310	281	252	211	160		
8SP77-20	75	100		402	401	389	360	326	296	265	222	168		



9"




PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY												n≈2850 1/min				
3~ 380 - 415V	kW	HP	Q	m ³ /h l/min	0	12	24	36	48	60	72	84	96	108	120				
8SP95-2A	7.5	10	H(m)	0	200	400	600	800	1000	1200	1400	1600	1800	2000					
8SP95-2	9.2	12.5		32	32	30	28	26	24	23	21	18	15	10					
8SP95-3A	11	15		43	42	40	38	35	32	30	28	25	20	14					
8SP95-3	13	17.5		53	53	50	47	44	40	38	35	31	25	17					
8SP95-4A	15	20		64	63	60	57	53	49	45	41	37	30	21					
8SP95-4	18.5	25		74	74	70	66	61	57	53	48	43	35	24					
8SP95-5	22	30		85	84	81	76	70	65	60	55	49	40	28					
8SP95-6	26	35		106	105	101	94	88	81	75	69	61	49	35					
8SP95-7	30	40		128	126	121	113	105	97	90	83	74	59	42					
8SP95-8	37	50		149	147	141	132	123	113	105	97	86	69	49					
8SP95-9	37	50		170	168	161	151	140	130	120	111	98	79	56					
8SP95-10	45	60		191	189	181	170	158	146	135	124	110	89	62					
8SP95-11	55	75		213	210	201	189	175	162	150	138	123	99	69					
8SP95-12	55	75		234	231	221	208	193	178	165	152	135	109	76					
8SP95-13	63	85		255	252	242	227	210	194	180	166	147	119	83					
8SP95-14	63	85		276	273	262	245	228	210	195	180	159	128	90					
8SP95-15	75	100	298	294	282	264	245	227	210	193	172	138	97						
8SP95-16	75	100	319	315	302	283	263	243	225	207	184	148	104						
			340	336	322	302	280	259	240	221	196	158	111						

PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY											
				n≈2850 1/min										
3~ 380 - 415V	kW	HP	Q	m ³ /h l/min	0	20	40	60	80	100	120	140	160	
					0	333	667	1000	1333	1667	2000	2333	2667	
9SP110-1	7.5	10	H _(m)		27	26	24	22	20	18	16	12	8	
9SP110-2A	11	15			44	42	40	37	34	30	25	18	10	
9SP110-2	15	20			54	52	48	44	41	37	32	24	15	
9SP110-3	22	30			81	77	73	67	61	55	47	36	23	
9SP110-4	30	40			108	103	97	89	82	74	63	48	30	
9SP110-5	37	50			135	129	121	111	102	92	79	60	38	
9SP110-6	45	60			162	155	145	133	122	110	95	72	46	
9SP110-7	55	75			189	181	169	155	143	129	111	84	53	
9SP110-8	55	75			216	206	194	178	163	147	126	96	61	
9SP110-9	63	85			243	232	218	200	184	166	142	108	68	
9SP110-10	75	100			270	258	242	222	204	184	158	120	76	
9SP110-11	75	100			297	284	266	244	224	202	174	132	84	
9SP110-12	92	125			324	310	290	266	245	221	190	144	91	
9SP110-13	92	125			351	335	315	289	265	239	205	156	99	
9SP110-14	110	150			378	361	339	311	286	258	221	168	106	
9SP110-15	110	150		405	387	363	333	306	276	237	180	114		




PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY										
			Q	n≈2850 1/min									
	3~380 - 415V	kW		0	20	40	60	80	100	120	140	160	180
		HP		0	333	667	1000	1333	1667	2000	2333	2667	3000
9SP120-1	9.2	12.5	H(m)	28	27	26	24	22	21	20	17	13	6
9SP120-2AA	13	17.5		38	37	36	34	31	28	25	20	14	4
9SP120-2A	15	20		48	47	45	42	39	36	33	28	21	10
9SP120-2	18.5	25		55	54	53	49	45	43	40	34	27	13
9SP120-3A	22	30		75	74	71	66	61	57	52	45	35	17
9SP120-3	26	35		83	80	79	73	67	64	60	50	40	19
9SP120-4A	30	40		100	98	94	88	81	76	69	60	46	23
9SP120-4	37	50		110	107	105	97	90	86	80	67	53	25
9SP120-5	45	60		138	134	132	122	112	107	100	84	67	32
9SP120-6	55	75		165	161	158	146	135	129	120	101	80	38
9SP120-7	63	85		193	188	184	170	158	151	140	118	93	44
9SP120-8	75	100		220	215	211	195	180	172	160	135	107	51
9SP120-9	92	125		248	242	237	219	203	194	180	152	120	57
9SP120-10	92	125		275	268	263	243	225	215	200	168	133	63
9SP120-11	110	150		303	295	290	268	248	237	220	185	147	70
9SP120-12	110	150		330	322	316	292	270	258	240	202	160	76




10"



PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY										
			Q	n≈2850 1/min									
	3~380 - 415V	kW		0	20	40	60	80	100	120	140	160	180
		HP		0	333	667	1000	1333	1667	2000	2333	2667	3000
10SP125-4A	37	50	H(m)	116	114	108	102	92	84	78	70	54	39
10SP125-4	37	50		124	122	116	110	100	92	86	77	62	46
10SP125-5A	45	60		145	142	135	128	115	105	98	87	68	49
10SP125-5	55	75		155	153	145	137	125	114	107	96	78	57
10SP125-6	63	85		186	183	174	165	150	137	129	115	94	68
10SP125-7	75	100		217	214	203	192	175	160	150	134	109	80
10SP125-8	75	100		248	244	232	220	200	183	172	154	125	91
10SP125-9	92	125		279	275	261	247	225	206	193	173	140	103
10SP125-10	92	125		310	305	290	275	250	229	215	192	156	114
10SP125-11	110	150		341	336	319	302	275	252	236	211	172	125
10SP125-12	132	175		372	366	348	330	300	275	258	230	187	137
10SP125-14	147	200		434	427	406	385	350	321	301	269	218	160
10SP125-16	170	230		496	488	464	440	400	366	344	307	250	182



PERFORMANCE DATA 50Hz

MODEL	P ₂		DELIVERY													
3~ 380 - 415V	kW	HP	Q	n≈2850 1/min												
				m³/h l/min	0	20	40	60	80	100	120	140	160	180	200	220
				0	333	667	1000	1333	1667	2000	2333	2667	3000	3333	3667	
10SP160-3A	37	50	H(m)	95	93	90	85	80	71	67	64	59	52	42	31	
10SP160-3	37	50		103	101	98	94	87	79	74	71	66	58	48	36	
10SP160-4A	45	60		126	124	120	114	106	95	90	85	78	70	56	42	
10SP160-4	55	75		137	135	131	125	116	105	98	95	88	77	64	48	
10SP160-5A	55	75		158	155	150	142	133	119	112	106	98	87	70	52	
10SP160-5	63	85		171	169	164	156	145	131	123	118	110	96	80	60	
10SP160-6	75	100		206	203	197	188	174	158	147	142	132	116	96	72	
10SP160-7	92	125		240	236	229	219	203	184	172	165	154	135	112	84	
10SP160-8	92	125		274	270	262	250	232	210	196	189	176	154	128	96	
10SP160-9	110	150		308	304	295	281	261	236	221	213	198	173	144	108	
10SP160-10	132	175		343	338	328	313	290	263	245	236	220	193	160	120	
10SP160-12	147	200		411	405	393	375	348	315	294	284	264	231	192	144	
10SP160-14	170	230		480	473	459	438	406	368	343	331	308	270	224	168	

